



DASH NO.	"C"	"AD"
538	12.46	4.56
588	12.96	5.06
638	13.46	5.56
688	13.96	6.06
738	14.46	6.56
788	14.96	7.06

CLASS I, GROUP C & D
 CLASS II, GROUP F & G
 MAXIMUM FACE RUNOUT .004 T.I.R.
 MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
 PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

NO.	REVISION	BY & DATE	CHK	TOLERANCES UNLESS SPECIFIED		LEESON ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN BJB 06/11/03	
				DEC.	INCHES			
				.X	±.1	TITLE OUTLINE 56 FRAME T.E.F.C. - RIGID "C" MAT'L. EXPLOSION PROOF FINISH	CHK	
				.XX	±.03		APPD	
				.XXX	±.005		SCALE 1=2	
				.XXXX	±.0005		REF	
				ANG	±1/2'		FMF	
				RFP		CAD FILE 028520	PREV	
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				DIST		SIZE B	DRAWING NO. 028520	REV.