



VIEW FROM OUTSIDE OF MOTOR AT SWITCH END.



LINE LEADS



	ROTATION FACING LEAD END	L1	L2	JOIN	INSULATE SEPARATELY
HIGH VOLT	C.C.W.	P1	T4 T5	T2, T3 T8	P2
	C.W.	P1	T4 T8	T2, T3 T5	P2
LOW VOLT	C.C.W.	P1	T2, T4 T5	P2, T3 T8	--
	C.W.	P1	T2, T4 T8	P2, T3 T5	--

				TOLERANCES UNLESS OTHERWISE SPECIFIED		LEESON ELECTRIC CORPORATION			
				DECIMALS					
				.00	± .01	DRAWN ADH 07/25/73	TITLE EXTERNAL WIRING DIAGRAM TYPE "C" W/PROTECTOR		
				.000	± .005	CH'K'D.			
29	UPDATED TO CURRENT STANDARDS	DBT	06/30/97	.0000	± .0005	APPR. JCW 07/26/77	MAT'L. DECAL - 004011		
NO.	REVISION	BY	DATE	FRACTIONS	± 1/64	SCALE 1=1			
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED				ANGLES	± 1/2°	REF. C4AMG1-2.48	FINISH	SIZE A	DRAWING NO. 005003-01
				INCH/MM		FMF FIG 2-32			

BRF